



TECHNOLOGIES



Grés Porcelain "The Ultimate Tile Body" forms the backbone of all our premium tiles to guarantee durability, longevity and a strong foundation for the structure they set up. This is a part of our Bisque Technology which ensures highly restricted permeability for all kinds of fluids which ensures stain free surface.

The Maestro Kiln ensures edge to edge homogeneous temperature equipped with an innovative heat and air management system eliminating most common tile defects like body corrosion, black core, crackles, caliber, tone and planarity.



The waterless cutting of tiles, Squadra Dry Technology does not form any moisture in the tiles and it prevents tiles from soaking or wearing off, making the calibration process highly precise and functional. Providing you with the sustainable & eco-friendly approach in the development of hygienic and superlative rooms.



ORIENTCERAMICA

SURFACES/FINISHES







SUPERSHINE

MODERN ENVIRONMENTAL FRIENDLY POLISHING METHOD ENSURING SCRATCH FREE AND ANTIBACTERIAL FINISH.



HOMOGENEOUS TILES, ALSO CALLED FULL BODY TILES OR THROUGH-BODY TILES, IS A TYPE OF SPECIAL UNGLAZED TILES WHOSE SURFACE COLOR IS THE SAME AS THE ENTIRE TILE.



CARVED TEXTURE ON SURFACES CREATED THROUGH SPECIAL CERAMIC MATERIALS AS TO GIVE NATURAL MARBLE OR STONE LOOK.



PRODUCTS








MARMI PANDORA



SURFACE





MARMI PANDORA SUPERSHINE 600X1200 LIGHT SEA







MARMI JASPERS



SURFACE





MARMIJASPERS SUPERSHINE 600X1200 DARK MIX








MARMI SYMPHONY



SURFACE





MARMI SYMPHONY SUPERSHINE 600X1200 LIGHT GOLD







MARMI DAZZLE



SURFACE





MARMI DAZZLE SUPERSHINE 600X1200 LIGHT MIX







MARMI BRUCE



SURFACE





MARMI BRUCE SUPERSHINE 600X1200 LIGHT GREY








MARMI ARISTON



SURFACE





MARMI ARISTON SUPERSHINE 600X1200 LIGHT WHITE







MARMI NOVUS




SURFACE



AVAILABLE FACES



MARMI NOVUS SUPERSHINE 600X1200 LIGHT WHITE





MARMI SERENO



SURFACE





MARMI SERENO SUPERSHINE 600X1200 LIGHT WHITE







MARMI MESARATI




SURFACE





MARMI MESARATI SUPERSHINE 600X1200 LIGHT GREY








MARMI BULGARI



SURFACE





MARMI BULGARI SUPERSHINE 600X1200 DARK BEIGE







MARMI SINAI



SURFACE





MARMI SINAI SUPERSHINE 600X1200 LIGHT GREY







MARMI ATHENA



SURFACE





MARMI ATHENA SUPERSHINE 600X1200 LIGHT GREY








MARMI YORKVILLE




SURFACE





MARMI YORKVILLE SUPERSHINE 600X1200 LIGHT GREY







MARMI ORO




SURFACE





MARMI ORO SUPERSHINE 600X1200 LIGHT MIX







MARMI NAXOS





AVAILABLE FACES



MARMI NAXOS SUPERSHINE 60XX1200 LIGHT WHITE GREY








MARMI CALACATTA GOLD










MARMI CALACATTA GOLD SUPERSHINE 600X1200 LIGHT WHITE







MARMI MARBELLA



SURFACE





MARMI MARBELLA SUPERSHINE 600X1200 LIGHT GREY







MARMI STATUARIO




SURFACE





MARMI STATUARIO SUPERSHINE 600X1200 LIGHT BEIGE







MARMI VOLAKAS



SURFACE



AVAILABLE FACES



MARMI VOLAKAS SUPERSHINE 600X1200 LIGHT WHITE GREY







MARMI BRECCIA



SURFACE




AVAILABLE FACES



MARMI BRECCIA SUPERSHINE 600X1200 LIGHT BLACK








MARMI OPAL




SURFACE





MARMI OPAL SUPERSHINE 600X1200 LIGHT GREY








ROCA SEAPEARL





AVAILABLE FACES



ROCA SEAPEARL SUPERSHINE 600X1200 LIGHT GREY







MARMI MIDLANDS



SURFACE



AVAILABLE FACES



MARMI MIDLANDS SUPERSHINE 600X1200 LIGHT GREY







MARMI TRANCO



SURFACE





MARMITRANCO SUPERSHINE 600X1200 LIGHT MIX

PRIENT CERAMICA






MARMI ONICE



SURFACE





MARMI ONICE SUPERSHINE 600X1200 LIGHT BROWN







MARMI ARMANI



SURFACE





MARMI ARMANI SUPERSHINE 600X1200 DARK BEIGE







MARMI FRESCO



SURFACE





MARMI FRESCO SUPERSHINE 600X1200 DARK GREY







MARMI SEQUOIA



SURFACE





MARMI SEQUOIA SUPERSHINE 600X1200 DARK MIX








MARMI AZZURO



SURFACE






MARMI AZZURO SUPERSHINE 600X1200 DARK SILVER








MARMI ATLAS



SURFACE





MARMI ATLAS SUPERSHINE 600X1200 DARK ROYAL







MARMI DEVON



SURFACE





MARMI DEVON SUPERSHINE 600X1200 DARK MIX








MARMI DEVON



SURFACE





MARMI DEVON SUPERSHINE 600X1200 LIGHT MIX








MARMI DEVON



SURFACE





MARMI DEVON SUPERSHINE 600X1200 LIGHT BEIGE

PRIENT CERAMICA





MARMI CHALET



SURFACE





MARMI CHALET SUPERSHINE 600X1200 DARK BROWN







MADERA ELM



SURFACE







MADERA ELM SUPERSHINE 600X1200 LIGHT BROWN







MARMI CRETA



SURFACE





MARMI CRETA SUPERSHINE 600X1200 DARK BLACK



Sustainable Management System Inc.

Certificate of Registration

This is to certify that, the

Management Systems of

Orient Material Private Limited

Plot # 354, FIEDMC Industrial Area Near M3 - Sahianwala Interchange, Faisalabad, Pakistan

has been assessed and registered against the provision of

ISO 9001:2015

Quality Management Systems

for the following scope

Manufacturer, Supplier & Exporter of Porcelain Floor Tiles

Initial Issue Date : 30-Mar-23 Registration Number : SMS-2022294 Current Issue Date : 30-Mar-23 Certificate Number : SMS-MSC-22394

Valid Till: 29-Mar-24EA Code: 281st Surveillance Due Date: 29-Feb-24Exclusion: 8.32nd Surveillance Due Date: 28-Feb-25Issue No: 01

Approved By:

President & CEO









This is an accredited certificate authorized for issue by Accreditation Service for Certifying Bodies LLC who has assessed Sustainable Management System Inc. against defined criteria and in cognizance of ISO 17021:2015 'Conformity Assessment - Requirements for bodies providing audit and certification of management systems. This certificate is only valid when confirmed by the register listed in the International Register of Quality Assessed Organizations and Sustainable Management System Inc. The validity of this certificate can be checked at www.irqao.com and www.smscert.com/certificate-check

This certificate is the property of Sustainable Management System Inc.

3706 Suite#6B, 69 Street, Woodside, New York 11377, USA E-mail: info@smscert.com, web: www.smscert.com



Sustainable Management System Inc.

Certificate of Registration

This is to certify that, the

Management Systems of

Orient Material Private Limited

Plot # 354, FIEDMC Industrial Area Near M3 - Sahianwala Interchange, Faisalabad, Pakistan

has been assessed and registered against the provision of

ISO 14001:2015

Environmental Management Systems

for the following scope

Manufacturer, Supplier & Exporter of Porcelain Floor Tiles

Initial Issue Date : 30-Mar-23 Registration Number : SMS-2022295 Current Issue Date : 30-Mar-23 Certificate Number : SMS-MSC-22395

Valid Till: 29-Mar-24EA Code: 281st Surveillance Due Date: 29-Feb-24Exclusion: N/A2nd Surveillance Due Date: 28-Feb-25Issue No: 01

Approved By:

President & CEO









This is an accredited certificate authorized for issue by Accreditation Service for Certifying Bodies LLC who has assessed Sustainable Management System Inc. against defined criteria and in cognizance of ISO 17021:2015 'Conformity Assessment - Requirements for bodies providing audit and certification of management systems. This certificate is only valid when confirmed by the register listed in the International Register of Quality Assessed Organizations and Sustainable Management System Inc. The validity of this certificate can be checked at www.irqao.com and www.smscert.com/certificate-check

This certificate is the property of Sustainable Management System Inc.

3706 Suite#6B, 69 Street, Woodside, New York 11377, USA E-mail: info@smscert.com, web: www.smscert.com



TECHNICAL DATA SHEET

Sr. No.		TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	INTERNATIONAL	ORIENT
1.		Length & Width	BS EN ISO 10545-2	+/- 0.6%	+/- 0.1%
2.	<u>↓</u>	Thickness	BS EN ISO 10545-2	+/- 5.0%	+/- 3.0%
3.		Rectangle Squareness	BS EN ISO 10545-2	+/- 0.6%	+/- 0.2%
4.		Straightness of Sides	BS EN ISO 10545-2	+/- 0.5%	+/- 0.2%
5.		Surface of Flatness	BS EN ISO 10545-2	+/- 0.6%	+/- 0.2%
6.	000	Water Absorption	BS EN ISO 10545-3	<= 0.5%	< 0.1%
7.	*	Modulus of Rupture	BS EN ISO 10545-4	>= 35N/mm2	>= 40N/mm2



Sr. No.		TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	INTERNATIONAL	ORIENT
8.		Breaking Strength	BS EN ISO 10545-4	>= 1300 N	>= 2000 N
9.		Resistance to Deep Abrasion	BS EN ISO 10545-7	<= 175/mm3	PELIV
10.	<u>a</u>	Resistance to Thermal Shock	BS EN ISO 10545-9	No visible defects	Resistant
11.	610.0.0	Frost Resistance	BS EN ISO 10545-12	No visible damage	Resistant
12.	ال	Resistance to Chemicals	BS EN ISO 10545-13	No visible defects	No visible defects
13.	101	Color Resistance to UV Lights	DIN 51094	No change in color	No change in color

Disclaimer: The actual tile colors may differ from the tile colors shown in this catalogue.

PRIENTCERAMICA

- ORIENT MATERIAL (Pvt. Ltd.)
- **A** UAN: 111 ORIENT (674-368)
- Email: info@orientceramica.com
- Head Office: Orient Group, 26km, Multan Rd, Lahore, Pakistan
- Factory: Plot#354, M3 Industrial Estate, FIEDMC Sahianwala, Faisalabad, Pakistan

