

**ORIENTCERAMICA**

# ANTI SLIP

EDITION 2025



**ORIENT CERAMICA**




ROCA DOME

# ROCA DOME


FL ROCA DOME AS 600X1200 GR L

## SIZE



30X120 AND 20X120 WILL BE PRODUCED ON DEMAND

## SURFACE & FINISH



## AVAILABLE COLORS



## Tile Faces



FACE 1



FACE 2



FACE 3

Colors shown in the catalogue are for reference only. Please check physical tile before buying.




SKYLINE DUBAI

# SKYLINE DUBAI

FL SKYLINE DUBAI AS 600X1200 GR D

## SIZE



30X120 AND 20X120 WILL BE PRODUCED ON DEMAND

## SURFACE & FINISH



## AVAILABLE COLORS



## Tile Faces



FACE 1



FACE 2



FACE 3




SKYLINE TEXAS

# SKYLINE TEXAS

FL SKYLINE TEXAS AS 600X1200 GR L

## SIZE



30X120 AND 20X120 WILL BE PRODUCED ON DEMAND

## SURFACE & FINISH



ANTI SLIP

## AVAILABLE COLORS



## Tile Faces



FACE 1



FACE 2



FACE 3



FACE 4

Colors shown in the catalogue are for reference only. Please check physical tile before buying.




SKYLINE KENTUCKY



# SKYLINE KENTUCKY

FL SKYLINE KENTUCKY AS 600X1200 BR L

## SIZE



30X120 AND 20X120 WILL BE PRODUCED ON DEMAND

## SURFACE & FINISH



## AVAILABLE COLORS



## Tile Faces



FACE 1



FACE 2



FACE 3

Colors shown in the catalogue are for reference only. Please check physical tile before buying.


 ORIENT CERAMICA

SKYLINE COLORADO

# SKYLINE COLORADO

FL SKYLINE COLORADO AS 600X1200 GR D

## SIZE



30X120 AND 20X120 WILL BE PRODUCED ON DEMAND

## SURFACE & FINISH



ANTI SLIP

## AVAILABLE COLORS



## Tile Faces



FACE 1










FACE 2









FACE 3

Colors shown in the catalogue are for reference only. Please check physical tile before buying.

# TECHNICAL DATA SHEET

Sr. No.	TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	INTERNATIONAL STANDARD	ORIENT CERAMICA	
1.		Length & Width	BS EN ISO 10545-2	+/-0.6%	+/-0.1%
2.		Thickness	BS EN ISO 10545-2	+/-5.0%	+/-3.0%
3.		Rectangle Squareness	BS EN ISO 10545-2	+/-0.6%	+/-0.2%
4.		Straightness of Sides	BS EN ISO 10545-2	+/-5.0%	+/-0.2%
5.		Surface of Flatness	BS EN ISO 10545-2	+/-0.6%	+/-0.2%
6.		Water Absorption	BS EN ISO 10545-2	+/-5.0%	< 0.1%
7.		Modulus of Rupture	BS EN ISO 10545-2	>= 35N/mm <sup>2</sup>	>= 40N/mm <sup>2</sup>

# TECHNICAL DATA SHEET

Sr. No.		TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	INTERNATIONAL STANDARD	ORIENT CERAMICA
8.		Breaking Strength	BS EN ISO 10545-4	$\geq 1300$ N	+/-0.1%
9.		Resistance to Deep Abrasion	BS EN ISO 10545-7	$\leq 175$ /mm <sup>3</sup>	+/-3.0%
10.		Resistance to Thermal Shock	BS EN ISO 10545-9	No visible defects	+/-0.2%
11.		Frost Resistance	BS EN ISO 10545-12	No visible damage	+/-0.2%
12.		Resistance to Chemicals	BS EN ISO 10545-13	No visible defects	+/-0.2%
13.		Color Resistance to UV Lights	DIN 51094	No change in color	$< 0.1\%$

## **ORIENT CERAMICA**

The Only **Grès Porcelain** Tile Manufacturer in Pakistan.

