




ORIENT CERAMICA

Grit Pro Max
EDITION 2025

A photograph of a bathroom vanity. The wall is covered in a floral patterned tile with large grey and yellow flowers on a light background. A white rectangular sink is mounted on a green cabinet with two drawers. Each drawer has a small, round, metallic handle. A small white vase with a green plant sits on the countertop. To the left, a larger potted plant is visible. A window with blinds is partially seen on the left side of the image.

Grit Promax Tiles by Orient Ceramica offer the perfect mix of style and strength. With a smooth matte finish and high resistance to stains and scratches, these tiles are ideal for both indoor and outdoor spaces. Durable, easy to maintain, and built to last, Grit Promax adds lasting beauty to any room.

The Grit Pro Max is unmatched resilience, engineered to endure. With every surface, every step, it stands firm, defying wear and tear. Built to handle the toughest conditions, yet designed to impress. This isn't just toughness it's a revolution in performance. Choose your strength. Choose your style. Make your space unbreakable and unforgettable.

 **ORIENT CERAMICA**






DECORA LEAF

DECORA LEAF

FL DECORO LEAFE SY 600X1200 BR D

SIZE



30X120 AND 20X120 WILL BE PRODUCED ON DEMAND

SURFACE & FINISH



GRIT PRO MAX

AVAILABLE COLORS



Tile Faces



FACE 1

Colors shown in the catalogue are for reference only. Please check physical tile before buying.

ORIENT CERAMICA




DECORO CARNATION
RED


DECORO CARNATION

FL DECORO CARNATION SY 600X1200 RD D A


SIZE



60



30



20

30X120 AND 20X120 WILL BE PRODUCED ON DEMAND

SURFACE & FINISH



GRIT PRO MAX

AVAILABLE COLORS



Tile Faces



FACE 1



FACE 2

Colors shown in the catalogue are for reference only. Please check physical tile before buying.

ORIENT CERAMICA




DECORO DAFFODIL

DECORO DAFFODIL

FL DECORO DAFFODIL SY 600X1200 BL D

SIZE



30X120 AND 20X120 WILL BE PRODUCED ON DEMAND

SURFACE & FINISH



AVAILABLE COLORS



Tile Faces



FACE 1

Colors shown in the catalogue are for reference only. Please check physical tile before buying.

ORIENT CERAMICA




DECORO CARNATION

DECORO CARNATION

FL DECORO CARNATION SY 600X1200 YL D A

SIZE



30X120 AND 20X120 WILL BE PRODUCED ON DEMAND

SURFACE & FINISH



AVAILABLE COLORS



Tile Faces



FACE 1



FACE 2

Colors shown in the catalogue are for reference only. Please check physical tile before buying.

 **ORIENT CERAMICA**






MARMI ARK

MARMI ARK

FL MARMI ARK SY 600X1200 BL L

SIZE



30X120 AND 20X120 WILL BE PRODUCED ON DEMAND

SURFACE & FINISH




GRIT PRO MAX


AVAILABLE COLORS




Tile Faces



FACE 1



FACE 2



FACE 3

Colors shown in the catalogue are for reference only. Please check physical tile before buying.

 **ORIENT CERAMICA**




MARMIA GLACIA

MARMI GALICIA

FL MARMI GALICIA SY 600X1200 WT L

SIZE



30X120 AND 20X120 WILL BE PRODUCED ON DEMAND

SURFACE & FINISH



GRIT PRO MAX

AVAILABLE COLORS



Tile Faces



FACE 1










FACE 2









FACE 3

Colors shown in the catalogue are for reference only. Please check physical tile before buying.

TECHNICAL DATA SHEET

Sr. No.	TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	INTERNATIONAL STANDARD	ORIENT CERAMICA	
1.		Length & Width	BS EN ISO 10545-2	+/-0.6%	+/-0.1%
2.		Thickness	BS EN ISO 10545-2	+/-5.0%	+/-3.0%
3.		Rectangle Squareness	BS EN ISO 10545-2	+/-0.6%	+/-0.2%
4.		Straightness of Sides	BS EN ISO 10545-2	+/-5.0%	+/-0.2%
5.		Surface of Flatness	BS EN ISO 10545-2	+/-0.6%	+/-0.2%
6.		Water Absorption	BS EN ISO 10545-2	+/-5.0%	< 0.1%
7.		Modulus of Rupture	BS EN ISO 10545-2	>= 35N/mm ²	>= 40N/mm ²

TECHNICAL DATA SHEET

Sr. No.		TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	INTERNATIONAL STANDARD	ORIENT CERAMICA
8.		Breaking Strength	BS EN ISO 10545-4	≥ 1300 N	+/-0.1%
9.		Resistance to Deep Abrasion	BS EN ISO 10545-7	≤ 175 /mm ³	+/-3.0%
10.		Resistance to Thermal Shock	BS EN ISO 10545-9	No visible defects	+/-0.2%
11.		Frost Resistance	BS EN ISO 10545-12	No visible damage	+/-0.2%
12.		Resistance to Chemicals	BS EN ISO 10545-13	No visible defects	+/-0.2%
13.		Color Resistance to UV Lights	DIN 51094	No change in color	$< 0.1\%$

ORIENT CERAMICA

The Only **Grès Porcelain** Tile Manufacturer in Pakistan.

