

 **ORIENTCERAMICA**

**PANTONE SERIES**  
EDITION 2025




# SURFACE & FINISH




PANTONE MATTE

A bold matte finish non glossy surface. Featuring vibrant, eye-catching color tones balanced with subtle elegance. Perfect for spaces seeking a vibrant yet tasteful transformation.

## SIZE




30X120 AND 20X120 WILL BE PRODUCED ON DEMAND



PANTONE SHINE


Pantone Shine vibrant colors meet a glossy, luminous finish. Perfect for creating spaces that radiate elegance and modern sophistication.

## SIZE



Colors shown in the catalogue are for reference only. Please check physical tile before buying.

## AVAILABLE COLORS



 **ORIENTCERAMICA**



BLACK



BLUE



ORANGE

 **ORIENTCERAMICA**



RED










TANGERINE









TURQUOISE



# TECHNICAL DATA SHEET

Sr. No.	TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	INTERNATIONAL STANDARD	ORIENT CERAMICA	
1.		Length & Width	BS EN ISO 10545-2	+/-0.6%	+/-0.1%
2.		Thickness	BS EN ISO 10545-2	+/-5.0%	+/-3.0%
3.		Rectangle Squareness	BS EN ISO 10545-2	+/-0.6%	+/-0.2%
4.		Straightness of Sides	BS EN ISO 10545-2	+/-5.0%	+/-0.2%
5.		Surface of Flatness	BS EN ISO 10545-2	+/-0.6%	+/-0.2%
6.		Water Absorption	BS EN ISO 10545-2	+/-5.0%	< 0.1%
7.		Modulus of Rupture	BS EN ISO 10545-2	>= 35N/mm <sup>2</sup>	>= 40N/mm <sup>2</sup>

# TECHNICAL DATA SHEET

Sr. No.		TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	INTERNATIONAL STANDARD	ORIENT CERAMICA
8.		Breaking Strength	BS EN ISO 10545-4	$\geq 1300$ N	+/-0.1%
9.		Resistance to Deep Abrasion	BS EN ISO 10545-7	$\leq 175$ /mm <sup>3</sup>	+/-3.0%
10.		Resistance to Thermal Shock	BS EN ISO 10545-9	No visible defects	+/-0.2%
11.		Frost Resistance	BS EN ISO 10545-12	No visible damage	+/-0.2%
12.		Resistance to Chemicals	BS EN ISO 10545-13	No visible defects	+/-0.2%
13.		Color Resistance to UV Lights	DIN 51094	No change in color	$< 0.1\%$

## **ORIENT CERAMICA**

The Only **Grès Porcelain** Tile Manufacturer in Pakistan.

