



**ORIENT CERAMICA**

TILE BOOK  
**2025**









## 3D


3D tiles feature a matte, textured design that adds a modern, tactile appeal to any surface. Their sculpted patterns catch and reflect light in dynamic ways, bringing walls to life. These tiles transformed the space, creating depth, movement, and visual intrigue that shift with the changing light throughout the day.

### Surface & Finish



3D

### Size



Colors shown in the catalogue are for reference only.  
Please check physical tile before buying.





TL MILANO IVORY PH LT L M



TL MILANO GREY PH D



TL MILANO BEIGE PH L




TL MILANO LIGHT GREY PH L

## SURFACE & FINISH



3D

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights


Colors shown in the catalogue are for reference only. Please check physical tile before buying.





MARVEL 3D







MARVEL IVORY PUNCH




MARVEL GREY PUNCH



MARVEL CHARCOAL PUNCH



MARVEL BAMBOO PUNCH



MARVEL ANTIQUE PUNCH DARK




MARVEL JACOBAN PUNCH 60X120

## SURFACE & FINISH



30

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.






MARVEL LATTE PUNCH DARK



MARVEL RAVEN PUNCH DARK




MARVEL MAPLE PUNCH



MARVEL LIGHT GREY PUNCH



MARVEL TAN PUNCH




MARVEL WALNUT PUNCH

## SURFACE & FINISH



30

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.






PRISM 3D





FL PRISM SOLITAIRE PH GR D



FL PRISM REGIME PH GR L



FL PRISM PRIDE PH IV L



MARVEL LIGHT GREY PUNCH



TL PRISM ASH PH




FL PRISM SUBLIME PH MX D

## SURFACE & FINISH



30

## SIZE



## TECHNICAL DATA


Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.





FL PRISM CREMA1 PH L



FLPRISM CHOCOLATE1 PH D




FL PRISM PEBBLE PH L



FL PRISM ETHNIC PH MX D



FL PRISM DYNASTY PH BR D




FL PRISM GRATITUDE PH GR L

## SURFACE & FINISH



30

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.





SLATE 3D





TL SLATE LIGHT GREY PH LT L



TL SLATE KHAKI PH LT L



TL SLATE GRAPHITE PH LT D



TL SLATE CEMENT PH LT L



TL SLATE MOCHA PH LT D




TL SLATE IVORY PH LT

## SURFACE & FINISH



30

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.





TL SLATE CHARCOAL PH D



TL SLATE BEIGE PH D



TL SLATE COCOA PH D



TL SLATE ASH PH LT




TL SLATE CREMA PH LT

**SURFACE & FINISH**



30

**SIZE**



**TECHNICAL DATA**

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.





**TRAVERTINO 3D**





TL TRAVERTINO BEIGE PH D




TL TRAVERTINO BONE PH L



TL TRAVERTINO MOCHA PH L



TL TRAVERTINO ASPIRE PH D



TL TRAVERTINO CHARCOAL PH D




TL TRAVERTINO COCOA PH D

## SURFACE & FINISH



30

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights


Colors shown in the catalogue are for reference only. Please check physical tile before buying.






STRIP 3D





TL STRIPES STONE PH D




TL STRIPES CHOCOLATE PH D




TL STRIPES BEIGE PH D



TL STRIPES PEBBLE PH L



TL STRIPES CREMA PH L




TL STRIPES CHARCOAL PH D

## SURFACE & FINISH



30

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.










## Anti Slip


This durable, safety-focused flooring is designed to withstand high traffic while maintaining its integrity over time. Its textured surface enhances grip, significantly reducing the risk of slips and falls in busy areas like kitchens, hallways, and commercial spaces. Ideal for both function and peace of mind, without compromising on style.

### Surface & Finish



ANTI SLIP

### Size



Colors shown in the catalogue are for reference only.  
Please check physical tile before buying.






FL SKYLINE TEXAS AS GR L



FL SKYLINE KENTUCKY AS BR L



FL SKYLINE DUBAI AS GR D



FL ROCA DOME AS GR L




FL SKYLINE COLORADO AS GR D

## SURFACE & FINISH



ANTI SLIP

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.









**ORIENT CERAMICA**

## Diamond Shine


Ultra Glossy tiles offer a brilliant shine and exceptional durability, transforming any surface into a stunning focal point. Their sleek finish reflects light beautifully, enhancing both modern and classic spaces. Resistant to wear, stains, and fading, these tiles combine long-lasting performance with sophisticated, eyecatching appeal for any environment.

### Surface & Finish



DIAMONDSHINE

### Size




Colors shown in the catalogue are for reference only. Please check physical tile before buying.





FL Marmi Apollo DS OL L



FL Roca Savana DS BG L



FL Marmi Tundra DS GR D



FL Roca Milano DS BG D



FL Neo Bronze DS RS D




FL Marmi Jade DS RS D

## SURFACE & FINISH



DIAMOND SHINE

## SIZE




## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.






FL MARMI CAESAR DS MX D



FL MARMI ARGENTO DS MX L



FL MARMI NORDIC DS GR D



FL DECORO ESTEEM DS GR D



FL DECORA FLORA DS BG L




FL MARMI CLAROS DS MX D

## SURFACE & FINISH



DIAMOND SHINE

## SIZE




## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.





FL MARM VELLA DS MX D




FL MARM TRAVERA DS MX L



FL MARM MARINO DS MX D



FL DECORO FOREST DS MX D



FL ROCA PEBBLESTONE DS MX D




ROCA NEO NAVADIA DS

## SURFACE & FINISH



DIAMOND SHINE

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.





FL ROCA SAVOY DS BG D



FL MARMI TUNDRA DS GR D




MARMI DUNE DS

## SURFACE & FINISH



DIAMONDSHINE

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.







## Grit Pro Max


Slip-resistant, advanced grit flooring offers superior traction without sacrificing style. Engineered for safety, its textured surface provides reliable grip in wet or high-traffic areas. The sleek, modern design seamlessly integrates into any space, combining aesthetic appeal with long-lasting performance—perfect for homes, workplaces, or commercial environments where safety is essential.

### Surface & Finish



GRIT PRO MAX

### Size




Colors shown in the catalogue are for reference only.  
Please check physical tile before buying.





FL MARM GALICIA SY WT L FI



FL MARM ARK SY BL L FI



FL DECORO DAFFODIL SY BL D



FL DECORO LEAFE SY BR D



FL DECORO CARNATION SY YL D A




FL DECORO CARNATION SY RD D A

## SURFACE & FINISH



GRIT PRO MAX

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.







## Penton


A bold matte finish with a non-glossy surface sets the stage for a sophisticated design statement. Featuring vibrant, eye-catching color tones, it adds personality without overwhelming the space. The hues are balanced with subtle elegance, making it perfect for interiors seeking a lively yet refined transformation that feels both modern and timeless.

### Surface & Finish




PANTONE MATTE

### Size



Colors shown in the catalogue are for reference only.  
Please check physical tile before buying.







FL MONTO TURQUOISE CG S




FL MONTO ORANGE CG S



FL MONTO RED CG S



FL MONTO TANGERINE CG S



FL MONTO BLUE CG S




FL MONTO BLACK CG S

## SURFACE & FINISH



PANTONE MATTE

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.







## PORTRAIT


These durable tiles, designed for portrait-style applications, feature a lavish high-gloss finish that enhances the visual appeal of any vertical surface. Their sleek, reflective texture adds depth and sophistication, making walls come alive. With exceptional resistance to scratches and stains, they're perfect for both statement walls and everyday elegance.

### Surface & Finish



DIAMOND SHINE

### Size



Colors shown in the catalogue are for reference only.  
Please check physical tile before buying.





TL PORTRAIT ARIA DS




TL PORTRAIT CANTABILE DS

## SURFACE & FINISH



## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.






TL PORTRAIT DUETTO DS

## SURFACE & FINISH



## SIZE




## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.





PORTRAIT OF BIBI JAWINDI




PORTRAIT OF DERAWAR FORT

## SURFACE & FINISH



## SIZE



## TECHNICAL DATA


Length & Width	Thickness	Rectangle Squaredness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.





PORTRAIT OF BADSHAHI MOSQUE




PORTRAIT OF COLOSSEUM

## SURFACE & FINISH



DIAMONDSHINE

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.





PORTRAIT OF SHAHI QILA




PORTRAIT OF NOOR MAHAL

## SURFACE & FINISH



DIAMONDSHINE

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.







## Super Matte


Super Matte offers a smooth, non-reflective finish that delivers a refined, elegant touch to any space. Its velvety surface softens harsh lighting and reduces glare, enhancing a calm, serene ambience. Ideal for minimalist or contemporary interiors, it brings a sense of quiet sophistication and understated beauty that feels timeless and modern.

### Surface & Finish




SUPER MATTE

### Size



Colors shown in the catalogue are for reference only.  
Please check physical tile before buying.






FL CANYON SM



FL ROCA CORAL SM




FL SKYLINE COLOMBO SM



FL ROCA SANDSTONE SM



FL ROCA BROOKS SM




FL MARMI VOLCANIC SM

## SURFACE & FINISH



SUPER MATTE

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.





FL ROCA URBAN SM



FL ROCA OXY SM



FL ROCA HILLSTONE SM



FL ROCA CORAL SM



FL MI ROCA ROME SM




FL SKYLINE ASMARA SM

## SURFACE & FINISH



SUPER MATTE

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.





FL SKYLINE KARACHI SM



FL SKYLINE HAVANA SM




FL SKYLINE HAVANA SM



FL SKYLINE TOKYO SM



FL SKYLINE SEATTLE SM




FL ROCA BROOKS SM

## SURFACE & FINISH



SUPER MATTE

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.







FL ROCA VALCANO SM



FL ROCA HAUTEVILLE SM




FL SKYLINE CAPETOWN SM



FL SKYLINE CAIRO SM



FL MARMI LINCON SM




FL ROCA OLYMPUS SM

## SURFACE & FINISH



SUPER MATTE

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.







## Super Shine


Known for their high-gloss finish, Super Shine tiles reflect light beautifully, adding depth and brilliance to any room. Their mirror-like surface enhances the aesthetic appeal, making spaces feel larger, brighter, and more luxurious. Ideal for modern interiors, they deliver a polished look that's both striking and effortlessly sophisticated.

### Surface & Finish



SUPER SHINE

### Size



Colors shown in the catalogue are for reference only.  
Please check physical tile before buying.





FL MARMİ HALES SS



FL MARMİ CHALET SS



FL MARMİ ARMANI SS



FL MADERA ELM SS



FL MARMİ ONICE SS




FL MARMİ STATUARIO SS

## SURFACE & FINISH



SUPER SHINE

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.





FL MARMİ OPAL SS



FL MARMİ MESARATI SS



FL MARMİ BRUCE SS



FL MARMİ ATHENA SS



FL MARMİ YORKVILLE SS




FL MARMİ ALFRED SS

## SURFACE & FINISH



SUPER SHINE

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.





FL SKYLINE NAPOLI SS




FL SKYLINE KYOTO SS



FL MARMI EQUINOX SS



FL MARMI PROPHECY SS



ROCA HILANDS SS




FL MARMI ARISTON SS

## SURFACE & FINISH



SUPER SHINE

## SIZE



## TECHNICAL DATA


Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.





FL MARMİ VOLAKAS SS



FL MARMİ PEARL SS



FL MARMİ NOVUS SS




FL MARMİ HANSEN SS

## SURFACE & FINISH



SUPER SHINE

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.








Textured tiles with a subtle sheen bring a sophisticated blend of style and function to any modern interior. Their tactile surface adds visual interest and depth, while the gentle gloss enhances light reflection, creating a sense of spaciousness. Ideal for contemporary designs, these tiles elevate spaces with elegance and refined character.

## Surface & Finish



STRUCTURE SHINE

## Size



Colors shown in the catalogue are for reference only.  
Please check physical tile before buying.





FL SKYLINE KOHAT KR BG L



FL MARMI TERRENO KR WT L




FL MARMI CRESCENT KR GR L

## SURFACE & FINISH



STRUCTURE SHINE

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.







## Velvet

Luxuriously smooth tiles offer a tactile experience that exudes sophistication and grace. Their silky surface reflects light gently, creating a warm, inviting ambiance. Perfect for both modern and classic interiors, these tiles bring soft elegance and refined beauty to any space, elevating it with understated charm and timeless appeal.

### Surface & Finish




VELVET MATTE



ROCKER EFFECT

### Size



Colors shown in the catalogue are for reference only.  
Please check physical tile before buying.





FL ROCA INDUS VL RK LT




FL ROCA FORTUNE VL RK LT



FL MARMI ROMANO VL RK LT



FL ROCA LIMESTONE VL RK LT



FL ROCA SAVOY VL RK



FL DECORO CARNATION SY RD D A

## SURFACE & FINISH




VELVET MATTE



ROCKER EFFECT

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.






FL MARMI DAMASCO VL RK LT



FL MARMI ASHER VL RK LT



FL SKYLINE PARIS VL RK LT GR L



FL ROCA LIMESTONE VL RK LT GR L



FL MARMI VALLEY VL RK LT GG D FI



FL MARMI LAGUNA VL RK LT

## SURFACE & FINISH




VELVET MATTE



ROCKER EFFECT

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.






FL ROCA COAST VL RK LT




FL SKYLINE MACAU VL RK LT



FL SKYLINE MACAU VL RK LT



FL MARMI BENTLEY VL RK LT IV L



FL MARMI ROMANO VL RK LT



FL SKYLINE LUXURY 600X1200 IV L

## SURFACE & FINISH




VELVET MATTE



ROCKER EFFECT

## SIZE




## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.





L SKYLINE WINNIPEG VL LT



FL MARMI VENUS VL RK LT



FL MARMI KARAKORAM VL RK LT



FL MARMI FELETTA VL RK LT



FL CARTER WHITE VL RK LT L

## SURFACE & FINISH




VELVET MATTE



ROCKER EFFECT

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.









**ORIENT CERAMICA**

## WOOD


Super Matte wood texture offers a smooth, non-reflective finish that brings natural elegance and warmth to any interior. Its velvety grain softens harsh lighting and eliminates glare, creating a calm, grounded atmosphere. Perfect for minimalist or modern spaces, it adds timeless character and understated charm through authentic wood-inspired design.

### Surface & Finish



SUPER MATTE

### Size



Colors shown in the catalogue are for reference only.  
Please check physical tile before buying.





FL MADERA LIMEWOOD SM



FL MADERA CEDER SM



FL MADERA BOSCO SM



FL MADERA ACACIA SM



FL MADERA BUTTERNUT SM




FL MADERA QUEENSLAND SM

## SURFACE & FINISH



SUPER MATTE

## SIZE



## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squaredness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.





MADERA MAHOGANY BROWN SM



MADERA IRONWOOD SM



MADERA CHERRY CARAMEL SM



FL MADERA TIMBER SM




MADERA MERANTI SM

## SURFACE & FINISH



SUPER MATTE

## SIZE










## TECHNICAL DATA

Length & Width	Thickness	Rectangle Squaredness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights






Colors shown in the catalogue are for reference only. Please check physical tile before buying.



# TECHNICAL DATA SHEET

Sr. No.		TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	INTERNATIONAL STANDARD	ORIENT CERAMICA
1.		Length & Width	BS EN ISO 10545-2	+/- 0.6%	+/- 0.1%
2.		Thickness	BS EN ISO 10545-2	+/- 5.0%	+/- 3.0%
3.		Rectangle Squareness	BS EN ISO 10545-2	+/- 0.6%	+/- 0.2%
4.		Straightness of Sides	BS EN ISO 10545-2	+/- 0.5%	+/- 0.2%
5.		Surface of Flatness	BS EN ISO 10545-2	+/- 0.6%	+/- 0.2%
6.		Water Absorption	BS EN ISO 10545-3	<= 0.5%	< 0.1%
7.		Modulus of Rupture	BS EN ISO 10545-4	>= 35N/mm2	>= 40N/mm2



Sr. No.		TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	INTERNATIONAL STANDARD	ORIENT CERAMICA
8.		Breaking Strength	BS EN ISO 10545-4	$\geq 1300$ N	$\geq 2000$ N
9.		Resistance to Deep Abrasion	BS EN ISO 10545-7	$\leq 175/\text{mm}^3$	PEI IV
10.		Resistance to Thermal Shock	BS EN ISO 10545-9	No visible defects	Resistant
11.		Frost Resistance	BS EN ISO 10545-12	No visible damage	Resistant
12.		Resistance to Chemicals	BS EN ISO 10545-13	No visible defects	No visible defects
13.		Color Resistance to UV Lights	DIN 51094	No change in color	No change in color

Disclaimer: The actual tile colors may differ from the tile colors shown in this catalogue.



# MAINTENANCE AND CLEANING OF TILES

Maintenance of ceramic and Grés porcelain tiles on dry surfaces is relatively easy. Orient Ceramica tiles are highly scratch and stain resistant.

By regularly sweeping the floor, you can help avoid scratches that small pebbles or sand can create.

Make it a habit to always wipe the soles of your shoes on a mat before entering the house. Thoroughly wipe up any spills using plain warm water.

While they are not likely to stain your tiles, spills may stain the grout between the tiles and if they are left to sit for too long, may also stain the actual tiles.

Plain water is the ideal cleaner because it leaves no residue if you dry the surface of the tiles thoroughly after cleaning.

If tiles are left wet after cleaning, there may be some unsightly mineral residue after the water dries, but this can easily be removed by spot cleaning.

If stains resist cleaning with water alone, you can use a mild acidic solution, such as white vinegar. Use it highly diluted and rinse with plain water then dry.

As food stains are acidic in nature, try using a mild alkaline solution.

Use common detergents sparingly, rinse with plain water and dry thoroughly.

## GRÉS PORCELAIN TILES (Bla - GL):

Grés Porcelain Tiles are manufactured using pure, selectively Imported raw materials mixed using the most advanced extraction and sorting techniques; they are obtained with a production process similar to that of single fired tiles. The resulting product is top quality grés porcelain tile, obtained by raw material wet grinding, followed by partial drying by spraying, silo storage to allow homogenization of properties, and pressing with highly efficient hydraulic presses up to specific pressures more than 500 kg/cm<sup>2</sup>. The high pressure combined with high firing temperature exceeding 1200 °C results in highly compact & strong surface with very low water absorption (lower than 0.4 according to UNI EN ISO 10545-3) and extremely high mechanical resistance (average value exceeding 40 N/mm<sup>2</sup> according to UNI EN ISO 10545-4).



Thanks to their low porosity, these Grès Porcelain tiles are frost proof and rated as belonging to the Bla GL class according to the international Standard ISO 13006 and European Standard UNI EN 14411 which requires water absorption  $\leq 0.5\%$ . The MoR (modulus of rupture) in accordance with UNI EN ISO 10545-4 results to 40 N/mm<sup>2</sup> while the required value is 35 N/mm<sup>2</sup>. Orient Ceramica Grès Porcelain tiles are available in a wide range of designs, sizes & finishes.

## ADVICE ON LAYING

Although our Grès Porcelain tiles can be installed using traditional cement mortars, we advise using modern adhesives, while installing on wall. The two-layer spreading system is recommended to perfectly wet the back of the tile.

Quickly dipping each tile in water before installation will remove any dust on the back of the tile for perfect adhesion. Do not wet the tiles if you are using vinyl, acrylic resin adhesives or two component organic-solvent based adhesive.

It is advisable to incorporate suitable shrinkage flexion joints (movement/ expansion joints) when installing on large floors: the joints should never be spaced more than 4-5 linear meters apart indoors and 3 linear meters apart outdoors. Be careful while using strong colored grouts as they might leave stains on the surface of the tiles that may be difficult to remove later.

## TECHNICAL FEATURES

### FULL BODY PORCELAIN TILES (BI A-UG L):

Full body porcelain tiles are manufactured using pure, selectively imported raw materials mixed using the most advanced extraction and sorting techniques; they are obtained with a production process similar to that of single-fired tiles.

The resulting product is top-quality Grès Porcelain tile, obtained by raw materials wet grinding, followed by partial drying by spraying, silo storage to allow homogenization of properties, and pressing with highly efficient hydraulic presses up to specific pressures more than 500 kg/cm<sup>2</sup>. The high pressure combined with a high firing temperature exceeding 1200 °C results in a highly compact and strong ceramic surface with very low water absorption (lower than 0.1% according to



**[www.orientceramica.com](http://www.orientceramica.com)**

Orient Group, 26km, Multan Rd, Lahore, Pakistan



/orientceramicapk | For Corporate Inquiries UAN: (042) 111-635-635