



ORIENT CERAMICA

GENERAL CATALOGUE

TILE BOOK
2025



3D


3D tiles feature a matte, textured design that adds a modern, tactile appeal to any surface. Their sculpted patterns catch and reflect light in dynamic ways, bringing walls to life. These tiles transformed the space, creating depth, movement, and visual intrigue that shift with the changing light throughout the day.

Surface & Finish




3D

Size



60

120




30

120



20

120



60

60



Colors shown in the catalogue are for reference only.
Please check physical tile before buying.



MILANO IVORY



MILANO GREY



MILANO BEIGE




MILANO LIGHT GREY

SURFACE & FINISH



3D

SIZE



TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.



MARVEL 3D




MARVEL IVORY



MARVEL GREY



MARVEL CHARCOAL



MARVEL BAMBOO



MARVEL ANTIQUE DARK




MARVEL JACOBEOAN

SURFACE & FINISH



30

SIZE




TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights


Colors shown in the catalogue are for reference only. Please check physical tile before buying.




MARVEL LATTE DARK



MARVEL RAVEN DARK



MARVEL MAPLE



MARVEL LIGHT GREY



MARVEL TAN




MARVEL WALNUT

SURFACE & FINISH



30

SIZE



TECHNICAL DATA

Length & Width	Thickness	Rectangle Squaredness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.



TRAVERTINO 3D



TRAVERTINO BEIGE



TRAVERTINO BONE



TRAVERTINO COCOA




TRAVERTINO CHARCOAL

SURFACE & FINISH



30

SIZE



TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.



STRIPE 3D



STRIPE STONE




STRIPE CHOCOLATE




STRIPE BEIGE



STRIPE PEBBLE



STRIPE CREMA




STRIPE CHARCOAL

SURFACE & FINISH



30

SIZE



TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.



SLATE 3D



SLATE LIGHT GREY



SLATE KHAKI



SLATE GRAPHITE



SLATE CEMENT



SLATE MOCHA




SLATE IVORY

SURFACE & FINISH



30

SIZE



TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.



SLATE CHARCOAL



SLATE BEIGE



SLATE COCOA



SLATE ASH




SLATE CREMA

SURFACE & FINISH



30

SIZE



TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.





Anti Slip


This durable, safety-focused flooring is designed to withstand high traffic while maintaining its integrity over time. Its textured surface enhances grip, significantly reducing the risk of slips and falls in busy areas like kitchens, hallways, and commercial spaces. Ideal for both function and peace of mind, without compromising on style.

Surface & Finish



ANTI SLIP

Size



Colors shown in the catalogue are for reference only.
Please check physical tile before buying.



SKYLINE TEXAS



SKYLINE KENTUCKY



SKYLINE DUBAI



ROCA DOME




SKYLINE COLORADO

SURFACE & FINISH



ANTI SLIP

SIZE



TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.





ORIENT CERAMICA

Grit Pro Max


Slip-resistant, advanced grit flooring offers superior traction without sacrificing style. Engineered for safety, its textured surface provides reliable grip in wet or high-traffic areas. The sleek, modern design seamlessly integrates into any space, combining aesthetic appeal with long-lasting performance—perfect for homes, workplaces, or commercial environments where safety is essential.

Surface & Finish




GRIT PRO MAX


Size



Colors shown in the catalogue are for reference only.
Please check physical tile before buying.



MARMI GALICIA



MARMI ARK



DECORO DAFFODIL



DECORO LEAFE



DECORO CARNATION




DECORO CARNATION

SURFACE & FINISH



GRIT PRO MAX

SIZE



TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.





ORIENT CERAMICA

Diamond Shine


Ultra Glossy tiles offer a brilliant shine and exceptional durability, transforming any surface into a stunning focal point. Their sleek finish reflects light beautifully, enhancing both modern and classic spaces. Resistant to wear, stains, and fading, these tiles combine long-lasting performance with sophisticated, eye-catching appeal for any environment.

Surface & Finish



DIAMONDSHINE

Size



Colors shown in the catalogue are for reference only. Please check physical tile before buying.



MARMI APOLLO



ROCA SAVANA



FL MARMI TUNDRA DS GR D



ROCA MILANO



NEO BRONZE




MARMI JADE

SURFACE & FINISH



DIAMOND SHINE

SIZE



TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.



MARMI CAESAR



MARMI ARGENTO



MARMI NORDIC



DECORO ESTEEM



DECORA FLORA




MARMI CLAROS

SURFACE & FINISH



DIAMOND SHINE

SIZE



TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.



ROCA SAVOY




MARMI TRAVERA



MARMI TUNDRA



DECORO FOREST



ROCA PEBBLESTONE




ROCA NEO NEVADA

SURFACE & FINISH



DIAMOND SHINE

SIZE



TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.




MARMİ DUNE

SURFACE & FINISH



DIAMONDSHINE

SIZE



TECHNICAL DATA

												
Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.



PORTRAIT


These durable tiles, designed for portrait-style applications, feature a lavish high-gloss finish that enhances the visual appeal of any vertical surface. Their sleek, reflective texture adds depth and sophistication, making walls come alive. With exceptional resistance to scratches and stains, they're perfect for both statement walls and everyday elegance.

Surface & Finish



DIAMOND SHINE

Size



Colors shown in the catalogue are for reference only. Please check physical tile before buying.



PORTRAIT ARIA




PORTRAIT CANTABILE

SURFACE & FINISH



SIZE



TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.




PORTRAIT DUETTO

SURFACE & FINISH



DIAMONDING

SIZE



TECHNICAL DATA

Length & Width	Thickness	Rectangle Squares	Straightness of Tiles	Surface of Tiles	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.



PORTRAIT OF BIBI JAWINDI




PORTRAIT OF DERAWAR FORT

SURFACE & FINISH



SIZE




TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.



PORTRAIT OF BADSHAHI MOSQUE




PORTRAIT OF COLOSSEUM

SURFACE & FINISH



SIZE



TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.



Pantone


A bold matte finish with a non-glossy surface sets the stage for a sophisticated design statement. Featuring vibrant, eye-catching color tones, it adds personality without overwhelming the space. The hues are balanced with subtle elegance, making it perfect for interiors seeking a lively yet refined transformation that feels both modern and timeless.

Surface & Finish




PANTONE MATTE


Size




Colors shown in the catalogue are for reference only.
Please check physical tile before buying.




MONTO TURQUOISE




MONTO ORANGE




MONTO RED



MONTO TANGERINE



FL MONTO BLUE




MONTO BLACK

SURFACE & FINISH



PANTONE MATTE

SIZE



TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights


Colors shown in the catalogue are for reference only. Please check physical tile before buying.



Super Matte


Super Matte offers a smooth, non-reflective finish that delivers a refined, elegant touch to any space. Its velvety surface softens harsh lighting and reduces glare, enhancing a calm, serene ambience. Ideal for minimalist or contemporary interiors, it brings a sense of quiet sophistication and understated beauty that feels timeless and modern.

Surface & Finish



SUPER MATTE

Size





ROCA CANYON




ROCA CORAL



SKYLINE COLOMBO



ROCA SANDSTONE




ROCA VALCANO




MARMI VOLCANIC

SURFACE & FINISH



SUPER MATTE

SIZE




TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.



ROCA URBAN




ROCA OXY



ROCA HILLSTONE



ROCA CORAL



MI ROCA ROME




ROCA HAUTEVILLE

SURFACE & FINISH



SUPER MATTE


SIZE



TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.



SKYLINE KARACHI



SKYLINE HAVANA



SKYLINE HAVANA



SKYLINE TOKYO



SKYLINE SEBASTIAN




MARMI LINCON

SURFACE & FINISH



SUPER MATTE


SIZE



TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.



SKYLINE CAIRO

SURFACE & FINISH




SUPER MATTE

TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.

SIZE





Super Shine


Known for their high-gloss finish, Super Shine tiles reflect light beautifully, adding depth and brilliance to any room. Their mirror-like surface enhances the aesthetic appeal, making spaces feel larger, brighter, and more luxurious. Ideal for modern interiors, they deliver a polished look that's both striking and effortlessly sophisticated.

Surface & Finish



SUPER SHINE

Size



Colors shown in the catalogue are for reference only.
Please check physical tile before buying.



MARMI OPAL



MARMI CHALET



MARMI ARMANI



MADERA ELM



MARMI ONICE




MARMI STATUARIO

SURFACE & FINISH



SUPER SHINE

SIZE



TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.



MARMİ HANSEN



MARMİ MESARATI




MARMİ BRUCE



MARMİ ATHENA



MARMİ YORKVILLE




MARMİ ARISTON

SURFACE & FINISH



SUPER SHINE

SIZE



TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.



MARMİ VOLAKAS



ROCA HILANDS



MARMİ NOVUS




MARMİ PROPHECY

SURFACE & FINISH



SUPER SHINE

SIZE



TECHNICAL DATA


Length & Width	Thickness	Rectangle Squaredness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.




Textured tiles with a subtle sheen bring a sophisticated blend of style and function to any modern interior. Their tactile surface adds visual interest and depth, while the gentle gloss enhances light reflection, creating a sense of spaciousness. Ideal for contemporary designs, these tiles elevate spaces with elegance and refined character.

Surface & Finish



STRUCTURE SHINE

Size



Colors shown in the catalogue are for reference only. Please check physical tile before buying.



SKYLINE KOHAT



MARMI TERRENO




MARMI CRESCENT

SURFACE & FINISH



STRUCTURE SHINE

SIZE



TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.



Velvet

Luxuriously smooth tiles offer a tactile experience that exudes sophistication and grace. Their silky surface reflects light gently, creating a warm, inviting ambiance. Perfect for both modern and classic interiors, these tiles bring soft elegance and refined beauty to any space, elevating it with understated charm and timeless appeal.

Surface & Finish




VELVET MATTE



ROCKER EFFECT

Size



Colors shown in the catalogue are for reference only.
Please check physical tile before buying.



ROCA INDUS




ROCA FORTUNE



MARMI ROMANO



ROCA LIMESTONE



ROCA SAVOY



ROCA DUKE

SURFACE & FINISH




VELVET MATTE



ROCKER EFFECT

SIZE



TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights


Colors shown in the catalogue are for reference only. Please check physical tile before buying.



MARMI DAMASCO



MARMI VENUS



SKYLINE PARIS



ROCA LIMESTONE



MARMI VALLEY



MARMI LAGUNA

SURFACE & FINISH




VELVET MATTE



ROCKER EFFECT

SIZE



TECHNICAL DATA

Length & Width	Thickness	Rectangle Squareness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.



ROCA COAST



SKYLINE MACAU



SKYLINE MACAU



MARMİ BENTLEY



MARMİ ROMANO



SKYLINE LUXURY

SURFACE & FINISH




VELVET MATTE



ROCKER EFFECT

SIZE




TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.



SKYLINE WINNIPEG



CARTER WHITE



MARMI KARAKORAM



MARMI FELETTA

SURFACE & FINISH




VELVET MATTE



ROCKER EFFECT

SIZE



TECHNICAL DATA

Length & Width	Thickness	Rectangle Squariness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.






ORIENT CERAMICA

WOOD


Super Matte wood texture offers a smooth, non-reflective finish that brings natural elegance and warmth to any interior. Its velvety grain softens harsh lighting and eliminates glare, creating a calm, grounded atmosphere. Perfect for minimalist or modern spaces, it adds timeless character and understated charm through authentic wood-inspired design.

Surface & Finish



SUPER MATTE

Size



Colors shown in the catalogue are for reference only.
Please check physical tile before buying.



MADERA LIMEWOOD



MADERA CEDAR



MADERA BOSCO



MADERA ACACIA



MADERA BUTTERNUT




MADERA QUEENSLAND

SURFACE & FINISH



SUPER MATTE

SIZE



TECHNICAL DATA

Length & Width	Thickness	Rectangle Squaredness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.



MADERA MAHOGANY BROWN



MADERA IRONWOOD



MADERA CHERRY CARAMEL




MADERA TIMBER




MADERA MERANTI

SURFACE & FINISH



SUPER MATTE

SIZE
















TECHNICAL DATA

Length & Width	Thickness	Rectangle Squaredness	Straightness of Sides	Surface of Flatness	Water Absorption	Modulus of Rupture	Breaking Strength	Resistance to Deep Abrasion	Resistance to Thermal Shock	Frost Resistance	Resistance to Chemicals	Color Resistance to UV Lights

Colors shown in the catalogue are for reference only. Please check physical tile before buying.

TECHNICAL DATA SHEET

Sr. No.		TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	INTERNATIONAL STANDARD	ORIENT CERAMICA
1.		Length & Width	BS EN ISO 10545-2	+/- 0.6%	+/- 0.1%
2.		Thickness	BS EN ISO 10545-2	+/- 5.0%	+/- 3.0%
3.		Rectangle Squareness	BS EN ISO 10545-2	+/- 0.6%	+/- 0.2%
4.		Straightness of Sides	BS EN ISO 10545-2	+/- 0.5%	+/- 0.2%
5.		Surface of Flatness	BS EN ISO 10545-2	+/- 0.6%	+/- 0.2%
6.		Water Absorption	BS EN ISO 10545-3	<= 0.5%	< 0.1%
7.		Modulus of Rupture	BS EN ISO 10545-4	>= 35N/mm2	>= 40N/mm2

Sr. No.		TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	INTERNATIONAL STANDARD	ORIENT CERAMICA
8.		Breaking Strength	BS EN ISO 10545-4	≥ 1300 N	≥ 2000 N
9.		Resistance to Deep Abrasion	BS EN ISO 10545-7	$\leq 175/\text{mm}^3$	PEI IV
10.		Resistance to Thermal Shock	BS EN ISO 10545-9	No visible defects	Resistant
11.		Frost Resistance	BS EN ISO 10545-12	No visible damage	Resistant
12.		Resistance to Chemicals	BS EN ISO 10545-13	No visible defects	No visible defects
13.		Color Resistance to UV Lights	DIN 51094	No change in color	No change in color

Disclaimer: The actual tile colors may differ from the tile colors shown in this catalogue.

MAINTENANCE AND CLEANING OF TILES

Maintenance of ceramic and Grés porcelain tiles on dry surfaces is relatively easy. Orient Ceramica tiles are highly scratch and stain resistant.

By regularly sweeping the floor, you can help avoid scratches that small pebbles or sand can create.

Make it a habit to always wipe the soles of your shoes on a mat before entering the house. Thoroughly wipe up any spills using plain warm water.

While they are not likely to stain your tiles, spills may stain the grout between the tiles and if they are left to sit for too long, may also stain the actual tiles.

Plain water is the ideal cleaner because it leaves no residue if you dry the surface of the tiles thoroughly after cleaning.

If tiles are left wet after cleaning, there may be some unsightly mineral residue after the water dries, but this can easily be removed by spot cleaning.

If stains resist cleaning with water alone, you can use a mild acidic solution, such as white vinegar. Use it highly diluted and rinse with plain water then dry.

As food stains are acidic in nature, try using a mild alkaline solution.

Use common detergents sparingly, rinse with plain water and dry thoroughly.

GRÉS PORCELAIN TILES (Bla - GL):

Grés Porcelain Tiles are manufactured using pure, selectively Imported raw materials mixed using the most advanced extraction and sorting techniques; they are obtained with a production process similar to that of single fired tiles. The resulting product is top quality grés porcelain tile, obtained by raw material wet grinding, followed by partial drying by spraying, silo storage to allow homogenization of properties, and pressing with highly efficient hydraulic presses up to specific pressures more than 500 kg/cm². The high pressure combined with high firing temperature exceeding 1200 °C results in highly compact & strong surface with very low water absorption (lower than 0.4 according to UNI EN ISO 10545-3) and extremely high mechanical resistance (average value exceeding 40 N/mm² according to UNI EN ISO 10545-4).

Thanks to their low porosity, these Grès Porcelain tiles are frost proof and rated as belonging to the Bla GL class according to the international Standard ISO 13006 and European Standard UNI EN 14411 which requires water absorption $\leq 0.5\%$. The MoR (modulus of rupture) in accordance with UNI EN ISO 10545-4 results to 40 N/mm² while the required value is 35 N/mm². Orient Ceramica Grès Porcelain tiles are available in a wide range of designs, sizes & finishes.

ADVICE ON LAYING

Although our Grès Porcelain tiles can be installed using traditional cement mortars, we advise using modern adhesives, while installing on wall. The two-layer spreading system is recommended to perfectly wet the back of the tile.

Quickly dipping each tile in water before installation will remove any dust on the back of the tile for perfect adhesion. Do not wet the tiles if you are using vinyl, acrylic resin adhesives or two component organic-solvent based adhesive.

It is advisable to incorporate suitable shrinkage flexion joints (movement/ expansion joints) when installing on large floors: the joints should never be spaced more than 4-5 linear meters apart indoors and 3 linear meters apart outdoors. Be careful while using strong colored grouts as they might leave stains on the surface of the tiles that may be difficult to remove later.

TECHNICAL FEATURES

FULL BODY PORCELAIN TILES (BI A-UG L):

Full body porcelain tiles are manufactured using pure, selectively imported raw materials mixed using the most advanced extraction and sorting techniques; they are obtained with a production process similar to that of single-fired tiles.

The resulting product is top-quality Grès Porcelain tile, obtained by raw materials wet grinding, followed by partial drying by spraying, silo storage to allow homogenization of properties, and pressing with highly efficient hydraulic presses up to specific pressures more than 500 kg/cm². The high pressure combined with a high firing temperature exceeding 1200 °C results in a highly compact and strong ceramic surface with very low water absorption (lower than 0.1% according to

www.orientceramica.com

 Orient Group, 26km, Multan Rd, Lahore, Pakistan



/orientceramicapk | For Corporate Inquiries UAN: (042) 111-635-635